Application/Control Number: 10/663,206 Page 2

Art Unit: 2195

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no lather than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Ms. Marina Portnova (Registration number: 45,750), on 4/17/08.
- 3. The claims have been amended as specified by Applicant's fax Amendment submitted on April 18, 2008, which is attached hereto.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Camquy Truong whose telephone number is (571) 272 -3773. The examiner can normally be reached on 8 AM- 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR of Public PAIP. Status

Application/Control Number: 10/663,206

Art Unit: 2195

information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIP system, contact the Electronic Business Center (EBC) at 866-217-9197(toll-free).

Page 3

Camquy Truong

April 22, 2008

/Meng-Ai An/

Supervisory Patent Examiner, Art Unit 2195